

```
INFO global: Vagrant version: 2.3.4
INFO global: Ruby version: 2.7.6
INFO global: RubyGems version: 3.1.6
INFO global:
VAGRANT_EXECUTABLE="C:\\HashiCorp\\Vagrant\\embedded\\gems\\2.3.4\\ge
ms\\vagrant-2.3.4\\bin\\vagrant"
INFO global:
VAGRANT_INSTALLER_EMBEDDED_DIR="C:\\HashiCorp\\Vagrant\\embedded"
INFO global: VAGRANT_INSTALLER_ENV="1"
INFO global: VAGRANT_INSTALLER_VERSION="2"
INFO global: VAGRANT_LOG="debug"
WARN global: resolv replacement has not been enabled!
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/autocomplete/plugin.rb
INFO manager: Registered plugin: autocomplete command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/box/plugin.rb
INFO manager: Registered plugin: box command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/cap/plugin.rb
INFO manager: Registered plugin: cap command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/cloud/plugin.rb
INFO manager: Registered plugin: vagrant-cloud
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/destroy/plugin.rb
INFO manager: Registered plugin: destroy command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/global-status/plugin.rb
INFO manager: Registered plugin: global-status command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/halt/plugin.rb
INFO manager: Registered plugin: halt command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/c
ommands/help/plugin.rb
```

```
INFO manager: Registered plugin: help command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/init/plugin.rb
INFO manager: Registered plugin: init command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/list-commands/plugin.rb
INFO manager: Registered plugin: list-commands command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/login/plugin.rb
INFO manager: Registered plugin: vagrant-login
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/package/plugin.rb
INFO manager: Registered plugin: package command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/plugin/plugin.rb
INFO manager: Registered plugin: plugin command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/port/plugin.rb
INFO manager: Registered plugin: port command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/powershell/plugin.rb
INFO manager: Registered plugin: powershell command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/provider/plugin.rb
INFO manager: Registered plugin: provider command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/provision/plugin.rb
INFO manager: Registered plugin: provision command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/push/plugin.rb
INFO manager: Registered plugin: push command
```

```
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/rdp/plugin.rb
INFO manager: Registered plugin: rdp command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/reload/plugin.rb
INFO manager: Registered plugin: reload command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/resume/plugin.rb
INFO manager: Registered plugin: resume command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/serve/plugin.rb
INFO manager: Registered plugin: start Vagrant server
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/snapshot/plugin.rb
INFO manager: Registered plugin: snapshot command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/ssh/plugin.rb
INFO manager: Registered plugin: ssh command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/ssh_config/plugin.rb
INFO manager: Registered plugin: ssh-config command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/status/plugin.rb
INFO manager: Registered plugin: status command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/suspend/plugin.rb
INFO manager: Registered plugin: suspend command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/up/plugin.rb
INFO manager: Registered plugin: up command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/upload/plugin.rb
```

```
INFO manager: Registered plugin: upload command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/validate/plugin.rb
INFO manager: Registered plugin: validate command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/version/plugin.rb
INFO manager: Registered plugin: version command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/winrm/plugin.rb
INFO manager: Registered plugin: winrm command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/commands/winrm_config/plugin.rb
INFO manager: Registered plugin: winrm-config command
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/communicators/ssh/plugin.rb
INFO manager: Registered plugin: ssh communicator
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/communicators/winrm/plugin.rb
INFO manager: Registered plugin: winrm communicator
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/communicators/winssh/plugin.rb
INFO manager: Registered plugin: windows ssh communicator
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/alma/plugin.rb
INFO manager: Registered plugin: Alma guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/alpine/plugin.rb
INFO manager: Registered plugin: Alpine guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/alt/plugin.rb
INFO manager: Registered plugin: ALT Platform guest
```

```
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/amazon/plugin.rb
INFO manager: Registered plugin: Amazon Linux guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/arch/plugin.rb
INFO manager: Registered plugin: Arch guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/atomic/plugin.rb
INFO manager: Registered plugin: Atomic Host guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/bsd/plugin.rb
INFO manager: Registered plugin: BSD-based guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/centos/plugin.rb
INFO manager: Registered plugin: CentOS guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/coreos/plugin.rb
INFO manager: Registered plugin: CoreOS guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/darwin/plugin.rb
INFO manager: Registered plugin: Darwin guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/debian/plugin.rb
INFO manager: Registered plugin: Debian guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/dragonflybsd/plugin.rb
INFO manager: Registered plugin: DragonFly BSD guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/elementary/plugin.rb
INFO manager: Registered plugin: Elementary guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/esxi/plugin.rb
```

INFO manager: Registered plugin: ESXi guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/fedora/plugin.rb

INFO manager: Registered plugin: Fedora guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/freebsd/plugin.rb

INFO manager: Registered plugin: FreeBSD guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/funtoo/plugin.rb

INFO manager: Registered plugin: Funtoo guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/gentoo/plugin.rb

INFO manager: Registered plugin: Gentoo guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/haiku/plugin.rb

INFO manager: Registered plugin: Haiku guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/kali/plugin.rb

INFO manager: Registered plugin: Kali guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/linux/plugin.rb

INFO manager: Registered plugin: Linux guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/mint/plugin.rb

INFO manager: Registered plugin: Mint guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/netbsd/plugin.rb

INFO manager: Registered plugin: NetBSD guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/nixos/plugin.rb

INFO manager: Registered plugin: NixOS guest

```
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/omnios/plugin.rb
INFO manager: Registered plugin: OmniOS guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/openbsd/plugin.rb
INFO manager: Registered plugin: OpenBSD guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/openwrt/plugin.rb
INFO manager: Registered plugin: OpenWrt guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/photon/plugin.rb
INFO manager: Registered plugin: VMware Photon guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/pld/plugin.rb
INFO manager: Registered plugin: PLD Linux guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/redhat/plugin.rb
INFO manager: Registered plugin: Red Hat Enterprise Linux guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/rocky/plugin.rb
INFO manager: Registered plugin: Rocky guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/slackware/plugin.rb
INFO manager: Registered plugin: Slackware guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/smartos/plugin.rb
INFO manager: Registered plugin: SmartOS guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/solaris/plugin.rb
INFO manager: Registered plugin: Solaris guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/solaris11/plugin.rb
```

INFO manager: Registered plugin: Solaris 11 guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/suse/plugin.rb

INFO manager: Registered plugin: SUSE guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/tinycore/plugin.rb

INFO manager: Registered plugin: TinyCore Linux guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/trisquel/plugin.rb

INFO manager: Registered plugin: Trisquel guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/ubuntu/plugin.rb

INFO manager: Registered plugin: Ubuntu guest
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/guests/windows/plugin.rb

INFO manager: Registered plugin: Windows guest.
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/host/alt/plugin.rb

INFO manager: Registered plugin: ALT Platform host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/host/arch/plugin.rb

INFO manager: Registered plugin: Arch host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/host/bsd/plugin.rb

INFO manager: Registered plugin: BSD host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/host/darwin/plugin.rb

INFO manager: Registered plugin: Mac OS X host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/host/freebsd/plugin.rb

INFO manager: Registered plugin: FreeBSD host


```
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/gentoo/plugin.rb
INFO manager: Registered plugin: Gentoo host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/linux/plugin.rb
INFO manager: Registered plugin: Linux host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/null/plugin.rb
INFO manager: Registered plugin: null host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/redhat/plugin.rb
INFO manager: Registered plugin: Red Hat Enterprise Linux host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/slackware/plugin.rb
INFO manager: Registered plugin: Slackware host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/suse/plugin.rb
INFO manager: Registered plugin: SUSE host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/void/plugin.rb
INFO manager: Registered plugin: Void host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/h
osts/windows/plugin.rb
INFO manager: Registered plugin: Windows host
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/k
ernel_v1/plugin.rb
INFO manager: Registered plugin: kernel
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/k
ernel_v2/plugin.rb
INFO manager: Registered plugin: kernel
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb
```

```
INFO manager: Registered plugin: docker-provider
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb
INFO manager: Registered plugin: Hyper-V provider
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb
INFO manager: Registered plugin: VirtualBox provider
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/ansible/plugin.rb
INFO manager: Registered plugin: ansible
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/cfengine/plugin.rb
INFO manager: Registered plugin: CFEngine Provisioner
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/chef/plugin.rb
INFO manager: Registered plugin: chef
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/container/plugin.rb
INFO manager: Registered plugin: container
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/docker/plugin.rb
INFO manager: Registered plugin: docker
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/file/plugin.rb
INFO manager: Registered plugin: file
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/podman/plugin.rb
INFO manager: Registered plugin: podman
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/puppet/plugin.rb
INFO manager: Registered plugin: puppet
```

```
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/salt/plugin.rb
  INFO manager: Registered plugin: salt
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
rovisioners/shell/plugin.rb
  INFO manager: Registered plugin: shell
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
ushes/atlas/plugin.rb
  INFO manager: Registered plugin: atlas
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
ushes/ftp/plugin.rb
  INFO manager: Registered plugin: ftp
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
ushes/heroku/plugin.rb
  INFO manager: Registered plugin: heroku
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
ushes/local-exec/plugin.rb
  INFO manager: Registered plugin: local-exec
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
ushes/noop/plugin.rb
  INFO manager: Registered plugin: noop
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/s
ynced_folders/nfs/plugin.rb
  INFO manager: Registered plugin: NFS synced folders
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/s
ynced_folders/rsync/plugin.rb
  INFO manager: Registered plugin: RSync synced folders
DEBUG global: Loading core plugin:
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/s
ynced_folders/smb/plugin.rb
  INFO manager: Registered plugin: SMB synced folders
  INFO vagrant: `vagrant` invoked: ["up"]
DEBUG vagrant: Creating Vagrant environment
```

```
INFO environment: Environment initialized
(#<Vagrant::Environment:0x000002009333b360>)
INFO environment:   - cwd: C:/Users/gadek/Desktop/Vagrant
INFO environment: Home path: C:/Users/gadek/.vagrant.d
DEBUG environment: Effective local data path:
C:/Users/gadek/Desktop/Vagrant/.vagrant
INFO environment: Local data path:
C:/Users/gadek/Desktop/Vagrant/.vagrant
DEBUG environment: Creating: C:/Users/gadek/Desktop/Vagrant/.vagrant
DEBUG manager: Enabling localized plugins
INFO manager: Plugins:
DEBUG solution_file: new solution file instance
plugin_file=C:/Users/gadek/Desktop/Vagrant/.vagrant/plugins.json
solution_file=C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/local.s
ol
DEBUG solution_file: missing file so skipping loading
DEBUG bundler: solution file in use for init:
<Vagrant::Bundler::SolutionFile:C:/Users/gadek/Desktop/Vagrant/.vagra
nt/plugins.json:C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/local
.sol:invalid>
DEBUG bundler: Generating new builtin set instance.
DEBUG bundler: Generating new plugin set instance. Skip gems - []
DEBUG bundler: generating solution set for configured plugins
DEBUG bundler: Current generated plugin dependency list: []
DEBUG bundler: resolving solution from available specification set
DEBUG bundler: solution set for configured plugins has been resolved
DEBUG bundler: activating solution set
DEBUG bundler: Activating solution set: []
DEBUG solution_file: plugin file does not exist, not storing solution
DEBUG bundler: solution set stored to -
<Vagrant::Bundler::SolutionFile:C:/Users/gadek/Desktop/Vagrant/.vagra
nt/plugins.json:C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/local
.sol:invalid>
INFO manager: Loading plugins...
DEBUG manager: Enabling globalized plugins
INFO manager: Plugins:
DEBUG solution_file: new solution file instance
plugin_file=C:/Users/gadek/.vagrant.d/plugins.json
solution_file=C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/global.
sol
DEBUG solution_file: missing file so skipping loading
```

```
DEBUG bundler: solution file in use for init:
<Vagrant::Bundler::SolutionFile:C:/Users/gadek/.vagrant.d/plugins.js
n:C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/global.sol:invalid>
DEBUG bundler: Generating new builtin set instance.
DEBUG bundler: Generating new plugin set instance. Skip gems - []
DEBUG bundler: generating solution set for configured plugins
DEBUG bundler: Current generated plugin dependency list: []
DEBUG bundler: resolving solution from available specification set
DEBUG bundler: solution set for configured plugins has been resolved
DEBUG bundler: activating solution set
DEBUG bundler: Activating solution set: []
DEBUG solution_file: plugin file does not exist, not storing solution
DEBUG bundler: solution set stored to -
<Vagrant::Bundler::SolutionFile:C:/Users/gadek/.vagrant.d/plugins.js
n:C:/Users/gadek/Desktop/Vagrant/.vagrant/bundler/global.sol:invalid>
INFO manager: Loading plugins...
INFO loader: Set :root =
["#<Pathname:C:/Users/gadek/Desktop/Vagrant/Vagrantfile>"]
DEBUG loader: Populating proc cache for
#<Pathname:C:/Users/gadek/Desktop/Vagrant/Vagrantfile>
DEBUG loader: Load procs for pathname:
C:/Users/gadek/Desktop/Vagrant/Vagrantfile
INFO loader: Loading configuration in order: [:home, :root]
DEBUG loader: Loading from: root (evaluating)
DEBUG loader: Configuration loaded successfully, finalizing and
returning
DEBUG push: finalizing
INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "Write-Output $PSVersionTable.PSVersion.Major"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
30
DEBUG subprocess: Exit status: 0
INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "(new-object
System.Security.Principal.WindowsPrincipal([System.Security.Principal
```

```
.WindowsIdentity]::GetCurrent()).IsInRole([System.Security.Principal
.WindowsBuiltInRole]::Administrator)"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 0
INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "Write-Output
([System.Security.Principal.WindowsIdentity]::GetCurrent()).Groups |
Select-Object Value | ConvertTo-JSON"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 0
INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "$x = (Get-VMHost).Name; if($x -eq
[System.Net.Dns]::GetHostName()){ Write-Output 'true'}"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
31999
DEBUG subprocess: Exit status: 1
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBOX_INSTALL_PATH for VBoxManage
DEBUG base: VBOX_INSTALL_PATH value: C:\\Program
Files\\Oracle\\VirtualBox\\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
INFO subprocess: Starting process: ["C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe", "--version"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
```

```
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 0
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
  INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
  INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG environment: Initial usable provider list: [[6, :virtualbox]]
DEBUG environment: Priority sorted usable provider list:
[:virtualbox]
DEBUG environment: Preferred provider list: []
DEBUG environment: Using provider `virtualbox` as it is the highest
priority in the usable list.
  INFO loader: Set "124960_machine_default" = []
  INFO loader: Loading configuration in order: [:home, :root,
"124960_machine_default"]
DEBUG loader: Loading from: root (cache)
DEBUG loader: Configuration loaded successfully, finalizing and
returning
DEBUG push: finalizing
  INFO box_collection: Box not found: centos/7 (virtualbox)
  WARN vagrantfile: Failed to locate centos/7 with version
  WARN vagrantfile: Performing lookup with initial values centos/7
with version
  INFO box_collection: Box not found: centos/7 (virtualbox)
  INFO box_collection: Box not found: centos/7 (virtualbox)
  INFO environment: Running hook: environment_plugins_loaded
  INFO runner: Running action: environment_plugins_loaded
#<Vagrant::Action::Builder:0x00000200930e9620>
  INFO environment: Running hook: environment_load
  INFO runner: Running action: environment_load
#<Vagrant::Action::Builder:0x000002009286fbe8>
DEBUG checkpoint_client: starting plugin check
  INFO cli: CLI: [] "up" []
DEBUG cli: Invoking command class: VagrantPlugins::CommandUp::Command
[]
DEBUG checkpoint_client: waiting for checkpoint to complete...
DEBUG checkpoint_client: plugin check complete
```

```
DEBUG checkpoint_client: vagrant is currently up to date
DEBUG checkpoint_client: no alert notifications to display
DEBUG command: 'Up' each target VM...
DEBUG command: Getting target VMs for command. Arguments:
DEBUG command: -- names: ["default"]
DEBUG command: -- options: {:provider=>nil}
DEBUG command: Finding machine that match name: default
INFO loader: Set "124960_machine_default" = []
INFO loader: Loading configuration in order: [:home, :root,
"124960_machine_default"]
DEBUG loader: Loading from: root (cache)
DEBUG loader: Configuration loaded successfully, finalizing and
returning
DEBUG push: finalizing
WARN vagrantfile: Failed to locate centos/7 with version
WARN vagrantfile: Performing lookup with initial values centos/7
with version
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG environment: Initial usable provider list: [[6, :virtualbox]]
DEBUG environment: Priority sorted usable provider list:
[:virtualbox]
DEBUG environment: Preferred provider list: []
DEBUG environment: Using provider `virtualbox` as it is the highest
priority in the usable list.
INFO environment: Getting machine: default (virtualbox)
INFO environment: Uncached load of machine.
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
```



```
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
  INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
  INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
  INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
  INFO loader: Set "124960_machine_default" = []
  INFO loader: Loading configuration in order: [:home, :root,
"124960_machine_default"]
DEBUG loader: Loading from: root (cache)
DEBUG loader: Configuration loaded successfully, finalizing and
returning
DEBUG push: finalizing
  INFO box_collection: Box not found: centos/7 (virtualbox)
  WARN vagrantfile: Failed to locate centos/7 with version
  WARN vagrantfile: Performing lookup with initial values centos/7
with version
  INFO box_collection: Box not found: centos/7 (virtualbox)
  INFO box_collection: Box not found: centos/7 (virtualbox)
  INFO vmconfig: looking up provider config for: :virtualbox
  INFO vmconfig: provider config value that was stored: nil
  INFO vmconfig: no result so doing plugin config lookup using name:
:virtualbox
  INFO vmconfig: config class that we got for the lookup:
VagrantPlugins::ProviderVirtualBox::Config
  INFO machine: Initializing machine: default
  INFO machine:   - Provider:
VagrantPlugins::ProviderVirtualBox::Provider
  INFO machine:   - Box:
  INFO machine:   - Data dir:
C:/Users/gadek/Desktop/Vagrant/.vagrant/machines/default/virtualbox
DEBUG virtualbox: Instantiating the driver for machine ID: nil
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
```

```
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
INFO machine: New machine ID: nil
DEBUG virtualbox: Instantiating the driver for machine ID: nil
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
INFO interface: Machine: metadata ["provider", :virtualbox,
{:target=>:default}]
INFO command: With machine: default
(#<VagrantPlugins::ProviderVirtualBox::Provider:0x000002009431ec78
@logger=#<Log4r::Logger:0x000002009431ec28
@fullname="vagrant::provider::virtualbox", @outputters=[],
@additive=true, @name="virtualbox", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>
```

```
@machine=#<Vagrant::Machine: default
(VagrantPlugins::ProviderVirtualBox::Provider)>,
@driver=#<VagrantPlugins::ProviderVirtualBox::Driver::Meta:0x00000200
9431cbd0 @logger=#<Log4r::Logger:0x00000200942c5d58
@fullname="vagrant::provider::virtualbox::meta", @outputters=[],
@additive=true, @name="meta", @path="vagrant::provider::virtualbox",
@parent=#<Log4r::Logger:0x000002009431ec28
@fullname="vagrant::provider::virtualbox", @outputters=[],
@additive=true, @name="virtualbox", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@level=2, @trace=false>, @interrupted=false,
@vboxmanage_path="C:/Program Files/Oracle/VirtualBox/VBoxManage.exe",
@uuid=nil,
@driver=#<VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0:0x0
000020094210f20 @logger=#<Log4r::Logger:0x00000200940b5478
@fullname="vagrant::provider::virtualbox_7_0", @outputters=[],
@additive=true, @name="virtualbox_7_0", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@interrupted=false, @vboxmanage_path="C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe", @uuid=nil>,
@version="7.0.6">, @cap_logger=#<Log4r::Logger:0x00000200943704d8
@fullname="vagrant::capability_host::vagrantplugins::providervirtualb
ox::provider", @outputters=[], @additive=true, @name="provider",
@path="vagrant::capability_host::vagrantplugins::providervirtualbox",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,>
```

```
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@cap_host_chain=[[:virtualbox,
#<#<Class:0x00000200943708e8>:0x0000020094324678>]],
@cap_args=[#<Vagrant::Machine: default
(VagrantPlugins::ProviderVirtualBox::Provider)>],
@cap_caps={:docker=>#<Vagrant::Registry:0x00000200943707a8
@items={:public_address=>#<Proc:0x00000200934d75e8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:60>,
:proxy_machine=>#<Proc:0x00000200934d74f8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:65>,
:has_communicator=>#<Proc:0x00000200934d7408
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:70>}, @results_cache={}>,
:hyperv=>#<Vagrant::Registry:0x0000020094370708
@items={:public_address=>#<Proc:0x00000200934d4bb8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:25>,
:snapshot_list=>#<Proc:0x00000200934d4af0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:30>,
:configure_disks=>#<Proc:0x00000200934d4ac8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:35>,
:cleanup_disks=>#<Proc:0x00000200934d4aa0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:40>,
:validate_disk_ext=>#<Proc:0x00000200934d4a78
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:45>,
:default_disk_exts=>#<Proc:0x00000200934d4a00
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:50>,
:set_default_disk_ext=>#<Proc:0x00000200934d49d8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:55>}, @results_cache={}>,
:virtualbox=>#<Vagrant::Registry:0x0000020094370668
@items={:forwarded_ports=>#<Proc:0x00000200922957b8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:27>,
```

```
:nic_mac_addresses=>#<Proc:0x0000020092295768
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:32>,
:public_address=>#<Proc:0x0000020092295718
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:37>,
:configure_disks=>#<Proc:0x0000020092295628
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:42>,
:cleanup_disks=>#<Proc:0x00000200922955b0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:47>,
:validate_disk_ext=>#<Proc:0x0000020092295538
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:52>,
:default_disk_exts=>#<Proc:0x0000020092295448
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:57>,
:set_default_disk_ext=>#<Proc:0x0000020092295420
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:62>,
:snapshot_list=>#<Proc:0x00000200922953f8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:67>}, @results_cache={}>>)
DEBUG command: Getting target VMs for command. Arguments:
DEBUG command: -- names: ["default"]
DEBUG command: -- options: {:provider=>nil}
DEBUG command: Finding machine that match name: default
INFO loader: Set "124960_machine_default" = []
INFO loader: Loading configuration in order: [:home, :root,
"124960_machine_default"]
DEBUG loader: Loading from: root (cache)
DEBUG loader: Configuration loaded successfully, finalizing and
returning
DEBUG push: finalizing
WARN vagrantfile: Failed to locate centos/7 with version
WARN vagrantfile: Performing lookup with initial values centos/7
with version
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
```

```
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG environment: Initial usable provider list: [[6, :virtualbox]]
DEBUG environment: Priority sorted usable provider list:
[:virtualbox]
DEBUG environment: Preferred provider list: []
DEBUG environment: Using provider `virtualbox` as it is the highest
priority in the usable list.
INFO environment: Getting machine: default (virtualbox)
INFO environment: Returning cached machine: default (virtualbox)
INFO command: With machine: default
(#<VagrantPlugins::ProviderVirtualBox::Provider:0x000002009431ec78
@logger=#<Log4r::Logger:0x000002009431ec28
@fullname="vagrant::provider::virtualbox", @outputters=[],
@additive=true, @name="virtualbox", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@machine=#<Vagrant::Machine: default
(VagrantPlugins::ProviderVirtualBox::Provider)>,
@driver=#<VagrantPlugins::ProviderVirtualBox::Driver::Meta:0x00000200
9431cbd0 @logger=#<Log4r::Logger:0x00000200942c5d58
@fullname="vagrant::provider::virtualbox::meta", @outputters=[],
@additive=true, @name="meta", @path="vagrant::provider::virtualbox",
@parent=#<Log4r::Logger:0x000002009431ec28
@fullname="vagrant::provider::virtualbox", @outputters=[],
@additive=true, @name="virtualbox", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
```

```
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@level=2, @trace=false>, @interrupted=false,
@vboxmanage_path="C:/Program Files/Oracle/VirtualBox/VBoxManage.exe",
@uuid=nil,
@driver=#<VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0:0x0
000020094210f20 @logger=#<Log4r::Logger:0x00000200940b5478
@fullname="vagrant::provider::virtualbox_7_0", @outputters=[],
@additive=true, @name="virtualbox_7_0", @path="vagrant::provider",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@interrupted=false, @vboxmanage_path="C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe", @uuid=nil>,
@version="7.0.6">, @cap_logger=#<Log4r::Logger:0x00000200943704d8
@fullname="vagrant::capability_host::vagrantplugins::providervirtualb
ox::provider", @outputters=[], @additive=true, @name="provider",
@path="vagrant::capability_host::vagrantplugins::providervirtualbox",
@parent=#<VagrantLogger:0x000002009225cb20 @fullname="vagrant",
@outputters=[#<Log4r::StderrOutputter:0x00000200921e7a50
@name="stderr", @level=0,
@formatter=#<Vagrant::Util::LoggingFormatter:0x00000200913d2578
@formatter=#<Log4r::BasicFormatter:0x000002009185e790 @depth=7>>,
@out=#<IO:<STDERR>>>], @additive=true, @name="vagrant", @path="",
@parent=#<Log4r::RootLogger:0x000002009225c4b8 @level=0,
@outputters=[]>, @level=2, @trace=false>, @level=2, @trace=false>,
@cap_host_chain=[[:virtualbox,
#<#<Class:0x00000200943708e8>:0x0000020094324678>]],
@cap_args=[#<Vagrant::Machine: default
(VagrantPlugins::ProviderVirtualBox::Provider)>],
@cap_caps={:docker=>#<Vagrant::Registry:0x00000200943707a8
@items={:public_address=>#<Proc:0x00000200934d75e8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:60>,
```

```
:proxy_machine=>#<Proc:0x00000200934d74f8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:65>,
:has_communicator=>#<Proc:0x00000200934d7408
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/docker/plugin.rb:70>}, @results_cache={},
:hyperv=>#<Vagrant::Registry:0x0000020094370708
@items={:public_address=>#<Proc:0x00000200934d4bb8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:25>,
:snapshot_list=>#<Proc:0x00000200934d4af0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:30>,
:configure_disks=>#<Proc:0x00000200934d4ac8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:35>,
:cleanup_disks=>#<Proc:0x00000200934d4aa0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:40>,
:validate_disk_ext=>#<Proc:0x00000200934d4a78
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:45>,
:default_disk_exts=>#<Proc:0x00000200934d4a00
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:50>,
:set_default_disk_ext=>#<Proc:0x00000200934d49d8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/hyperv/plugin.rb:55>}, @results_cache={},
:virtualbox=>#<Vagrant::Registry:0x0000020094370668
@items={:forwarded_ports=>#<Proc:0x00000200922957b8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:27>,
:nic_mac_addresses=>#<Proc:0x0000020092295768
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:32>,
:public_address=>#<Proc:0x0000020092295718
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:37>,
:configure_disks=>#<Proc:0x0000020092295628
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:42>,
:cleanup_disks=>#<Proc:0x00000200922955b0
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
```



```
roviders/virtualbox/plugin.rb:47>,
:validate_disk_ext=>#<Proc:0x0000020092295538
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:52>,
:default_disk_exts=>#<Proc:0x0000020092295448
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:57>,
:set_default_disk_ext=>#<Proc:0x0000020092295420
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:62>,
:snapshot_list=>#<Proc:0x00000200922953f8
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/p
roviders/virtualbox/plugin.rb:67>}, @results_cache={}>>)
  INFO interface: info: Bringing machine 'default' up with
'virtualbox' provider...
Bringing machine 'default' up with 'virtualbox' provider...
  INFO batch_action: Enabling parallelization by default.
  INFO batch_action: Disabling parallelization because provider
doesn't support it: virtualbox
  INFO batch_action: Batch action will parallelize: false
  INFO batch_action: Starting action:
#<Vagrant::Machine:0x0000020092c446b0> up {:destroy_on_error=>true,
:install_provider=>false, :parallel=>true,
:provision_ignore_sentinel=>false, :provision_types=>nil}
  INFO machine: Calling action: up on provider VirtualBox (new VM)
DEBUG environment: Attempting to acquire process-lock:
machine-action-d0c1afb3b4fd33f10096c7750830be12
DEBUG environment: Attempting to acquire process-lock: dotlock
  INFO environment: Acquired process lock: dotlock
  INFO environment: Released process lock: dotlock
  INFO environment: Acquired process lock:
machine-action-d0c1afb3b4fd33f10096c7750830be12
  INFO interface: Machine: action ["up", "start", {:target=>:default}]
  INFO host: Autodetecting host type for [#<Vagrant::Environment:
C:/Users/gadek/Desktop/Vagrant>]
DEBUG host: Trying: alt
DEBUG host: Trying: arch
DEBUG host: Trying: darwin
DEBUG host: Trying: freebsd
DEBUG host: Trying: gentoo
DEBUG host: Trying: redhat
DEBUG host: Trying: slackware
DEBUG host: Trying: suse
```

```
DEBUG host: Trying: void
DEBUG host: Trying: bsd
DEBUG host: Trying: linux
DEBUG host: Trying: null
DEBUG host: Trying: windows
  INFO host: Detected: windows!
  INFO runner: Running action: machine_action_up
#<Vagrant::Action::Builder:0x00000200933ec0e8>
  INFO warden: Calling IN action:
#<VagrantPlugins::ProviderVirtualBox::Action::CheckVirtualbox:0x0000020094016a08>
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
  INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
DEBUG meta: Finding driver for VirtualBox version: 7.0.6
  INFO meta: Using VirtualBox driver:
VagrantPlugins::ProviderVirtualBox::Driver::Version_7_0
DEBUG base: Windows, checking for VBoxManage on PATH first
DEBUG base: Windows. Trying VBox_INSTALL_PATH for VBoxManage
DEBUG base: VBox_INSTALL_PATH value: C:\Program
Files\Oracle\VirtualBox\
  INFO base: VBoxManage path: C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe
  INFO subprocess: Starting process: ["C:/Program
Files/Oracle/VirtualBox/VBoxManage.exe", "list", "hostonlyifs"]
  INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 0
  INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "$((Get-WindowsOptionalFeature -FeatureName
Microsoft-Hyper-V-Hypervisor).State)"]
  INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
```

```
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 0
INFO subprocess: Starting process:
["C:\\windows\\System32\\WindowsPowerShell\\v1.0/powershell.EXE",
"-NoLogo", "-NoProfile", "-NonInteractive", "-ExecutionPolicy",
"Bypass", "-Command", "$(Get-WindowsFeature -FeatureName
Microsoft-Hyper-V-Hypervisor).State"]
INFO subprocess: Command not in installer, restoring original
environment...
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
31999
DEBUG subprocess: Exit status: 0
INFO warden: Calling IN action:
#<Vagrant::Action::Builtin::Call:0x0000020093fb6108>
INFO runner: Running action: machine_action_up
#<Vagrant::Action::Builder:0x0000020091d8dbd0>
INFO warden: Calling IN action:
#<VagrantPlugins::ProviderVirtualBox::Action::Created:0x0000020094194
c18>
INFO warden: Calling OUT action:
#<VagrantPlugins::ProviderVirtualBox::Action::Created:0x0000020094194
c18>
INFO runner: Running action: machine_action_up
#<Vagrant::Action::Warden:0x0000020093f44008>
INFO warden: Calling IN action: #<Proc:0x0000020093d60980
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagra
nt/action/warden.rb:126 (lambda)>
INFO warden: Calling IN action:
#<Vagrant::Action::Builtin::HandleBox:0x0000020093f3ff30>
INFO interface: output: Box 'centos/7' could not be found.
Attempting to find and install...
INFO interface: output: ==> default: Box 'centos/7' could not be
found. Attempting to find and install...
==> default: Box 'centos/7' could not be found. Attempting to find
and install...
INFO interface: detail: Box Provider: virtualbox
INFO interface: detail:      default: Box Provider: virtualbox
      default: Box Provider: virtualbox
INFO interface: detail: Box Version: >= 0
INFO interface: detail:      default: Box Version: >= 0
      default: Box Version: >= 0
```

```
INFO runner: Running action: machine_action_up
#<Vagrant::Action::Builder:0x0000020093d1c640>
INFO warden: Calling IN action:
#<Vagrant::Action::Builtin::BoxAdd:0x0000020093be20e0>
INFO environment: Running hook: authenticate_box_url
INFO runner: Running action: authenticate_box_url
#<Vagrant::Action::Builder:0x0000020093377c70>
INFO warden: Calling IN action:
#<VagrantPlugins::CloudCommand::AddAuthentication:0x0000020093077e80>
WARN authenticate-box-url: Authentication token not found as GET
parameter.
INFO warden: Calling OUT action:
#<VagrantPlugins::CloudCommand::AddAuthentication:0x0000020093077e80>
INFO box_add: Downloading box: https://vagrantcloud.com/centos/7 =>
C:/Users/gadek/.vagrant.d/tmp/box268f3b7ad82a60ceb55f991152a6e2021bc5
89b7
INFO environment: Running hook: authenticate_box_downloader
INFO runner: Running action: authenticate_box_downloader
#<Vagrant::Action::Builder:0x000002009286d7f8>
INFO warden: Calling IN action:
#<VagrantPlugins::CloudCommand::AddDownloaderAuthentication:0x0000020
094314728>
DEBUG client: No authentication token in environment or
C:/Users/gadek/.vagrant.d/data/vagrant_login_token
DEBUG client: No authentication token in environment or
C:/Users/gadek/.vagrant.d/data/vagrant_login_token
INFO warden: Calling OUT action:
#<VagrantPlugins::CloudCommand::AddDownloaderAuthentication:0x0000020
094314728>
INFO environment: Running hook: authenticate_box_downloader
INFO runner: Running action: authenticate_box_downloader
#<Vagrant::Action::Builder:0x0000020093e95940>
INFO warden: Calling IN action:
#<VagrantPlugins::CloudCommand::AddDownloaderAuthentication:0x0000020
093d06070>
DEBUG client: No authentication token in environment or
C:/Users/gadek/.vagrant.d/data/vagrant_login_token
DEBUG client: No authentication token in environment or
C:/Users/gadek/.vagrant.d/data/vagrant_login_token
INFO warden: Calling OUT action:
#<VagrantPlugins::CloudCommand::AddDownloaderAuthentication:0x0000020
093d06070>
INFO downloader: HEAD: https://vagrantcloud.com/centos/7
```

```
INFO subprocess: Starting process:
["C:\\HashiCorp\\Vagrant\\embedded\\bin/curl.EXE", "-q", "-I",
"--fail", "--location", "--max-redirs", "10", "--verbose",
"--user-agent", "Vagrant/2.3.4 (+https://www.vagrantup.com;
ruby2.7.6)", "--continue-at", "-", "-H", "Accept: application/json",
"https://vagrantcloud.com/centos/7"]
DEBUG subprocess: Selecting on IO
DEBUG subprocess: Waiting for process to exit. Remaining to timeout:
32000
DEBUG subprocess: Exit status: 35
WARN downloader: Downloader exit code: 35
ERROR warden: Error occurred: The box 'centos/7' could not be found
or
could not be accessed in the remote catalog. If this is a private
box on HashiCorp's Vagrant Cloud, please verify you're logged in via
`vagrant login`. Also, please double-check the name. The expanded
URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
Error: schannel: next InitializeSecurityContext failed: Unknown error
(0x80092012) - The revocation function was unable to check revocation
for the certificate.
```

```
INFO warden: Beginning recovery process...
INFO warden: Recovery complete.
ERROR warden: Error occurred: The box 'centos/7' could not be found
or
could not be accessed in the remote catalog. If this is a private
box on HashiCorp's Vagrant Cloud, please verify you're logged in via
`vagrant login`. Also, please double-check the name. The expanded
URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
Error: schannel: next InitializeSecurityContext failed: Unknown error
(0x80092012) - The revocation function was unable to check revocation
for the certificate.
```

```
INFO warden: Beginning recovery process...
INFO warden: Recovery complete.
ERROR warden: Error occurred: The box 'centos/7' could not be found
or
could not be accessed in the remote catalog. If this is a private
box on HashiCorp's Vagrant Cloud, please verify you're logged in via
`vagrant login`. Also, please double-check the name. The expanded
URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
Error: schannel: next InitializeSecurityContext failed: Unknown error
(0x80092012) - The revocation function was unable to check revocation
for the certificate.
INFO warden: Beginning recovery process...
INFO warden: Recovery complete.
ERROR warden: Error occurred: The box 'centos/7' could not be found
or
could not be accessed in the remote catalog. If this is a private
box on HashiCorp's Vagrant Cloud, please verify you're logged in via
`vagrant login`. Also, please double-check the name. The expanded
URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
Error: schannel: next InitializeSecurityContext failed: Unknown error
(0x80092012) - The revocation function was unable to check revocation
for the certificate.
INFO warden: Beginning recovery process...
INFO warden: Calling recover:
#<Vagrant::Action::Builtin::Call:0x0000020093fb6108>
INFO warden: Beginning recovery process...
INFO warden: Recovery complete.
INFO warden: Recovery complete.
INFO warden: Beginning recovery process...
INFO warden: Recovery complete.
INFO environment: Released process lock:
machine-action-d0c1afb3b4fd33f10096c7750830be12
INFO environment: Running hook: environment_unload
INFO runner: Running action: environment_unload
#<Vagrant::Action::Builder:0x0000020092c21bb0>
ERROR vagrant: Vagrant experienced an error! Details:
ERROR vagrant: #<Vagrant::Errors::BoxAddShortNotFound: The box
'centos/7' could not be found or
could not be accessed in the remote catalog. If this is a private
box on HashiCorp's Vagrant Cloud, please verify you're logged in via
`vagrant login`. Also, please double-check the name. The expanded
URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
>rror: schannel: next InitializeSecurityContext failed: Unknown error
(0x80092012) - The revocation function was unable to check revocation
for the certificate.
```

ERROR vagrant: The box 'centos/7' could not be found or could not be accessed in the remote catalog. If this is a private box on HashiCorp's Vagrant Cloud, please verify you're logged in via `vagrant login`. Also, please double-check the name. The expanded URL and error message are shown below:

URL: ["https://vagrantcloud.com/centos/7"]

Error: schannel: next InitializeSecurityContext failed: Unknown error (0x80092012) - The revocation function was unable to check revocation for the certificate.

ERROR vagrant:

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/box_add.rb:104:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:48:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builder.rb:180:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `block in run'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/util/busy.rb:19:in `busy'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `run'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/handle_box.rb:83:in `handle_box'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/handle_box.rb:42:in `block in call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/handle_box.rb:36:in `synchronize'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/handle_box.rb:36:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:48:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:127:in `block in finalize_action'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:48:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builder.rb:180:in `call'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `block in run'

C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/util/busy.rb:19:in `busy'

```
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `run'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builtin/call.rb:53:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:48:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/plugins/providers/virtualbox/action/check_virtualbox.rb:26:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/warden.rb:48:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/builder.rb:180:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `block in run'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/util/busy.rb:19:in `busy'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/action/runner.rb:101:in `run'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/machine.rb:248:in `action_raw'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/machine.rb:217:in `block in action'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/environment.rb:631:in `lock'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/machine.rb:203:in `call'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/machine.rb:203:in `action'  
C:/HashiCorp/Vagrant/embedded/gems/2.3.4/gems/vagrant-2.3.4/lib/vagrant/batch_action.rb:86:in `block (2 levels) in run'
```

```
INFO interface: error: The box 'centos/7' could not be found or could not be accessed in the remote catalog. If this is a private box on HashiCorp's Vagrant Cloud, please verify you're logged in via `vagrant login`. Also, please double-check the name. The expanded URL and error message are shown below:
```

```
URL: ["https://vagrantcloud.com/centos/7"]
```

```
Error: schannel: next InitializeSecurityContext failed: Unknown error (0x80092012) - The revocation function was unable to check revocation for the certificate.
```

```
The box 'centos/7' could not be found or could not be accessed in the remote catalog. If this is a private box on HashiCorp's Vagrant Cloud, please verify you're logged in via
```


`vagrant login`. Also, please double-check the name. The expanded URL and error message are shown below:

```
URL: ["https://vagrantcloud.com/centos/7"]
```

```
Error: schannel: next InitializeSecurityContext failed: Unknown error (0x80092012) - The revocation function was unable to check revocation for the certificate.
```

```
INFO interface: Machine: error-exit
```

```
["Vagrant::Errors::BoxAddShortNotFound", "The box 'centos/7' could not be found or\ncould not be accessed in the remote catalog. If this is a private\nbox on HashiCorp's Vagrant Cloud, please verify you're logged in via\n`vagrant login`. Also, please double-check the name. The expanded\nURL and error message are shown below:\n\nURL:
```

```
["https://vagrantcloud.com/centos/7"]\nError: schannel: next InitializeSecurityContext failed: Unknown error (0x80092012) - The revocation function was unable to check revocation for the certificate.\r"]
```